






ECO D-310

Product information



■ SYSTEM TECHNOLOGY FOR THE DOOR





Product characteristics

Tested acc. to	EN 1906
With 9 mm spindle acc. to DIN 18273 fire protection tested	F
Lever form for escape doors and emergency exits	-
Restoring spring	■
Fixable bearing	■
Steel base with positioning studs	■
Concealed through-screw technology	■
DIN left / right	■


Classification key EN 1906

4	7	-	B1	1	4	0	A
---	---	---	----	---	---	---	---

■ Yes - No □ Option



Material:



Bearing technology:




PRODUCT FAMILY D-300

Standard handle



D-310



D-330

Long- / short plate handle



D-330



D-330


Oval rose handle



D-310



D-315



D-335

Security handle



D-310




D-315

Window handle



F-310


D-310 Oval rose




D-310 Oval rose with OGL – friction bearing technology

Lever guidance consists of a closed, maintenance-free friction bearing with self-lubricating plastic. Available with fixed knob and turnable knob and powerful return spring. Flush ground rose, no bigger lever drillings necessary. Available with or without positioning studs.

Utilization category class 4, Positioning studs $\varnothing 8 \times 5$ mm












OGL – OVAL ROSE HANDLE



EN 1906 **F**

F = 4 7 - B1 1 4 0 A



	Ø	▧	Sets			Knob			Rose		
											
S	21 mm	8 mm	178442.46	186305.46	186310.46	178218.46	178200.46	178202.46	176850.46	176852.46	176851.46
F	21 mm	9 mm	178440.46	386305.46	386310.46	178217.46	178200.46	178204.46	176850.46	176852.46	176851.46

Finish: Stainless steel satin brushed. PVD and polished on request

*Base escutcheon incl. fire-proof plate

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/9276-0
Fax: +49 2373/9276-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change