






ECO Knobs

Product information



■ SYSTEM TECHNOLOGY FOR THE DOOR



Knobs-OKL Magis





K-116 Round rose

Round rose OKL-fire protection with knob K-116. Complete with cover rose and premounted sleeve nuts (M5 x 35 mm). Available execution with 9 mm square pin or fixed rivetted with **M12 thread for a spindle for a knob / lever set.**

(Please order the fixing material separately)

EN 1906 **F**  OKL Magis

	Execution	
ER	Knob fixed left	174056.46
ER	Knob fixed right	174055.46





K-135 Round rose

Round rose OKL-fire protection with knob K-135. Complete with cover rose and premounted sleeve nuts (M5 x 35 mm). Cover rose and base rose PZ. Available execution with 9 mm square pin or fixed rivetted with **M12 thread for a spindle for a knob / lever set.**

(Please order the fixing material separately)

EN 1906 **F**  OKL Magis

	Execution	
ER	Knob fixed	174053.46





K-160 Round rose

Round rose OKL-fire protection with knob K-160. Complete with cover rose and premounted sleeve nuts (M5 x 35 mm). Cover rose and base rose PZ. Available execution with 9 mm square pin or fixed rivetted with **M12 thread for a spindle for a knob / lever set.**

(Please order the fixing material separately)

EN 1906 **F**  OKL Magis

	Execution	
ER	Knob fixed left	174058.46
ER	Knob fixed right	174057.46





K-165 Round rose

Round rose OKL-fire protection with knob K-165. Complete with cover rose and premounted sleeve nuts (M5 x 35 mm). Cover rose and base rose PZ. Available execution with 9 mm square pin or fixed rivetted with **M12 thread for a spindle for a knob / lever set.**

(Please order the fixing material separately)

EN 1906 **F**  OKL Magis

	Execution	
ER	Knob fixed	174054.46



Knobs-OGL









K-130

Round rose with knob K-130. Fixed rivetted to base rose. Complete with cover rose and premounted sleeve nuts (M5 x 30 mm). **M8 / M12 thread for a spindle for a knob / lever set.**

Please order the fixing material if necessary

EN 1906 F OGL

						
ER	5030012313	691500.46	691440.46			
AI	5030012409	691500.30	691440.30	691501.30	691441.30	







K-135


OKL-FS-round rose with knob K-135. Fixed rivetted to base rose (ER). Complete with cover rose (satin brushed) and premounted sleeve nuts (M5 x 30 mm).

M12 thread for a spindle for a knob / lever set.

Please order the fixing material if necessary

EN 1906 F OGL

					
ER	366155.46	694500.46	694550.46	M8	
ER	693000.46	693500.46	693550.46	M12	







K-165

Round rose with knob K-165. Fixed rivetted to base rose. Complete with cover rose and premounted sleeve nuts (M5 x 30 mm).

M12 thread for a spindle for a knob / lever set.

Please order the fixing material if necessary

EN 1906 F OGL

				
ER	691571.46	692200.46	692300.46	




K-165 Oval rose

Oval rose with knob K-165. Fixed welded to steel base rose. Complete with cover rose. **M12 thread for a spindle for a knob / lever set.** The execution aluminium is polished.

Please order the fixing material if necessary

F OGL

	Execution	
ER	fixed	101783004600010
AI	F1p fixed	101783004600010.3a
ER	fixable bearing	101782244600010
AI	F1p fixable bearing	101782244600010.3a



Knobs-OG L angled









K-110 Oval rose

Oval rose with knob K-110. Securely fixed with steel base rose. Complete with cover rose.

M8 thread for a spindle for a knob / lever set.

Incl. fixing material

					
	101782164600010				









K-116 Oval rose

Oval rose with knob K-116. Securely fixed with steel base rose. Complete with cover rose.

M8 thread for a spindle for a knob / lever set.

Incl. fixing material

					
	101782174600010				









K-120 Oval rose

Oval rose with knob K-120. Securely fixed with steel base rose. Complete with cover rose.

M8 thread for a spindle for a knob / lever set.

Incl. fixing material

					
	17821446				



















K-160 Oval rose

Oval rose with knob K-160. Securely fixed with steel base rose.

Complete with cover rose. **M12 thread for a spindle for a knob / lever set.**

The execution aluminium is polished.

Please order the fixing material if necessary

	Execution						
	fixed		101782004600010				
	F1p		101782003a00010				
	fixable bearing		101782044600010				
	F1p		101782043a00010				

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/9276-0
Fax: +49 2373/9276-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change