





ECO Push roses


Product information



■ SYSTEM TECHNOLOGY FOR THE DOOR



Push roses



Push rose 6,5 mm

Material: Stainless steel satin






Consisting of:

- Base rose with screw countersink for M5
- Center part and cover rose made of stainless steel

The push roses are constructed in a way that the fixing screws are covered in assembled condition. For disassembly, it is necessary to remove the locking cylinder so that the center part of the rosette can be moved in order to reach the fixing screws.

Execution	6,5 mm
Article number	10214810.46



Push rose 9 mm

Material: Stainless steel satin





Consisting of:

- Base rose with screw countersink for M5
- Center part and cover rose made of stainless steel

The push roses are constructed in a way that the fixing screws are covered in assembled condition. For disassembly, it is necessary to remove the locking cylinder so that the center part of the rosette can be moved in order to reach the fixing screws.

Execution	9 mm
Article number	10214820.46



ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/9276-0
Fax: +49 2373/9276-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change