




ECO Rose set OGL Click / OGL and SGL Click




Product information



■ SYSTEM TECHNOLOGY FOR THE DOOR



Rose set OGL Click / OGL and SGL Click




Rose set with PZ-hole

Material: Stainless steel satin brushed or Aluminium F1

- Complete set incl. steel ground rose and screws
- Edge radius: 1,5
- Door thickness TS: 38 - 45 mm
- Rose depth: 8 mm
- Further door thicknesses on request



Execution	OGL Click	OGL	SGL Click
ER	5030053796	5030012574	5030053314
AI	5030053797	5030012623	5030053795





Rose set with BB-hole

Material: Stainless steel satin brushed or Aluminium F1

- Complete set incl. steel ground rose and screws
- Edge radius: 1,5
- Door thickness TS: 38 - 45 mm
- Rose depth: 8 mm
- Further door thicknesses on request



Execution	OGL Click	OGL	SGL Click
ER	5030053799	5030013849	5030053804
AI	5030053800	5030012612	5030053803





Rose set UG

Material: Stainless steel satin brushed or Aluminium F1

- Complete set incl. steel ground rose and screws
- Kantenradius: 1,5
- Door thickness TS: 38 - 45 mm
- Rose depth: 8 mm
- Further door thicknesses on request



Execution	OGL Click	OGL	SGL Click
ER	5030053801	5030013850	5030053805
AI	5030053802	5030012615	5030053806




WC-Set SK

Material: Stainless steel

- Complete set incl. spindle and screws
- Edge radius: 1,5
- Rose depth: 9 mm
- Door thickness: OGL Click: 38 - 42 mm, OGL / SGL Click: 38 - 43 mm
- Further door thicknesses on request



Execution	OGL Click	OGL / SGL Click
ER	5030053854	5030012606
AI	5030053856	5030012635




WC-Set AV

Material: Stainless steel

- Complete set incl. spindle and screws
- Edge radius: 1,5
- Rose depth: 8 mm
- Door thickness: OGL Click: 38 - 42 mm, OGL / SGL Click: 38 - 43 mm
- Further door thicknesses on request



Execution	OGL Click	OGL / SGL Click
ER	5030053860	5030012597
AI	5030053861	5030012633



ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/9276-0
Fax: +49 2373/9276-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change