






# ECO EPN 2000 II Set Security profile frame

Product information



## ■ SYSTEM TECHNOLOGY FOR THE DOOR





# Set EPN 2000 II with Sec. profile frame counter handle






**Set consists of:**



- **EPN 2000 II ER** (also available in aluminium, F1 silver coated)\*
- **Security profile frame counter handle with OGL - friction bearing technology**  
 Counter handle lever D-116 (PZ or ZA)  
 Counter handle knob K-160 (PZ or ZA)

**Accessories**

- Screw bag set (please mention door thickness)
- Spindle has to be ordered separately






Set EPN 2000 II Stainless steel	Fixing axis	DIN left / right	Rotation angle	EPN 2000 II	Special handle PZ-72 / 14 mm	
					 D-116	 K-160
Screw-through version	1.000 mm	DIN left	30°	106706024631221	106941004600010	106943004600010
		DIN right		106706024631222		
		DIN left	40°	106706024641221		
		DIN right		106706024641222		
		DIN left	45°	106706024601221		
		DIN right		106706024601222		
	1.250 mm	DIN left	30°	106706044631221		
		DIN right		106706044631222		
		DIN left	40°	106706044641221		
		DIN right		106706044641222		
		DIN left	45°	106706044601221		
		DIN right		106706044601222		

Set EPN 2000 II Stainless steel	Fixing axis	DIN left / right	Rotation angle	EPN 2000 II	Special handle ZA-72 / 14 mm	
					 D-116	 K-160
Screw-through version	1.000 mm	DIN left	30°	106706024631221	106941504600010	106943504600010
		DIN right		106706024631222		
		DIN left	40°	106706024641221		
		DIN right		106706024641222		
		DIN left	45°	106706024601221		
		DIN right		106706024601222		
	1.250 mm	DIN left	30°	106706044631221		
		DIN right		106706044631222		
		DIN left	40°	106706044641221		
		DIN right		106706044641222		
		DIN left	45°	106706044601221		
		DIN right		106706044601222		

Further versions and handle types on request.

Please see our notes




 \*Manufacturing of special lengths on request and against surcharge possible.

Set EPN 2000 II Stainless steel	Fixing axis	DIN left / right	Rotation angle	EPN 2000 II	Special handle PZ-92 / 14 mm	
					 D-116	 K-160
Screw-through version	1.000 mm	DIN left	30°	106706024632221	106941014600010	106943014600010
		DIN right		106706024632222		
		DIN left	40°	106706024642221		
		DIN right		106706024642222		
		DIN left	45°	106706024602221		
		DIN right		106706024602222		
	1.250 mm	DIN left	30°	106706044632221		
		DIN right		106706044632222		
		DIN left	40°	106706044642221		
		DIN right		106706044642222		
		DIN left	45°	106706044602221		
		DIN right		106706044602222		



ECO


**EPN 2000 II Sets ■ Security profile frame ■ Touchbar**

Set EPN 2000 II Stainless steel	Fixing axis	DIN left / right	Rotation angle	EPN 2000 II	Special handle ZA-92 / 14 mm	
					 D-116	 K-160
Screw-through version	1.000 mm	DIN left	30°	106706024632221	106941514600010	106943514600010
		DIN right		106706024632222		
		DIN left	40°	106706024642221		
		DIN right		106706024642222		
		DIN left	45°	106706024602221		
		DIN right		106706024602222		
	1.250 mm	DIN left	30°	106706044632221		
		DIN right		106706044632222		
		DIN left	40°	106706044642221		
		DIN right		106706044642222		
		DIN left	45°	106706044602221		
		DIN right		106706044602222		

Further versions and handle types on request.

Please see our notes

\*Manufacturing of special lengths on request and against surcharge possible.



ECO Schulte GmbH & Co. KG  
Iserlohner Landstraße 89  
D - 58706 Menden

Telefon: +49 2373/9276-0  
Fax: +49 2373/9276-40

[info@eco-schulte.de](mailto:info@eco-schulte.de)  
[www.eco-schulte.de](http://www.eco-schulte.de)

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten  
© ECO Schulte GmbH & Co. KG - Subject to change