





ECO GBS 94

Product information





■ SYSTEM TECHNOLOGY FOR THE DOOR



GBS 94

Product characteristics

Panic function	with	■
	without	■
Locking	automatical	■
	manual	□
Face plate	Stainless steel	■
Backset / bar guidance (STF)	65 STF 32, 42 mm	■
	80 STF 47, 57 mm	■
	100 STF 67, 77 mm	□
Face plate width	20 round (rebate)	■
	24 round (flush)	■
Face plate type	Flat face plate	■
	Angle face plate	■
	Flap face plate	■
Hub	9 mm	■
Dead bolt contact switch		□
E-strike		□
Suitable for the use on fire- and smoke control doors	F	■
Tested and approved acc. to DIN / EN	EN 179 	EN 1125 
	EN 12 209	


■ Yes - No □ On request



Wooden door



Steel door


Description

- Counter lock / Drive bolt lock for passive leaf
- With (=full panic) or without panic release
- Suitable for fire- and smoke control doors
- Tested and approved acc. to **DIN 18 250** and **EN 12 209**
- Panic version: Tested and approved acc. to **EN 179** and **EN 1125**
- Dead bolt slider 4 mm rebounding
- Related lock for active leaf GBS 93
- Necessary accessories: Locking rod above and below and switching lock
- Execution with E-strike on request (GBS 152 / GBS 156)

Individual stamping possible on request and at an extra charge.

GBS 94 ■ Counter lock / Drive bolt lock for fire- and smoke control doors
With panic release (full panic) / flat face plate

Face plate finish	Backset in mm	Face plate form	Face plate 20 x 235 mm		Face plate 24 x 235 mm	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	65	round	2094_j002h311g0	2094_j002h312g0	2094_j002m311g0	2094_j002m312g0
	80	round	2094_m002h311m0	2094_m002h312m0	2094_m002m311m0	2094_m002m312m0

With panic release (full panic) / angle face plate

Face plate finish	Backset in mm	Face plate form	Face plate 20 x 235 mm		Face plate 24 x 235 mm	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	65	round	2094_j002v311g0	2094_j002v312g0	2094_j002w311g0	2094_j002w312g0
	80	round	2094_m002v311m0	2094_m002v312m0	2094_m002w311m0	2094_m002w312m0

With panic release (full panic) / lap face plate

Face plate finish	Backset in mm	Face plate form	Face plate 20 x 235 mm		Face plate 24 x 235 mm	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	65	round	2094_j002x311g0	2094_j002x312g0	2094_j002y311g0	2094_j002y312g0
	80	round	2094_m002x311m0	2094_m002x312m0	2094_m002y311m0	2094_m002y312m0

Without panic release (secured drive bolt lock) / flat face plate

Face plate finish	Backset in mm	Face plate form	Face plate 20 x 235 mm		Face plate 24 x 235 mm	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	65	round	2094_j012h311g0	2094_j012h312g0	2094_j012m311g0	2094_j012m312g0
	80	round	2094_m012h311m0	2094_m012h312m0	2094_m012m311m0	2094_m012m312m0

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/9276-0
Fax: +49 2373/9276-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change