






# ECO GBS 97





## Product information




### ■ SYSTEM TECHNOLOGY FOR THE DOOR





Product characteristics			
Lock type	PZ-92	■	
	RZ-94	□	
Backset	30, 35, 40, 45	■	
	Panic function	B	■
		D	■
	E	■	
Face plate	Stainless steel	■	
Face plate width	24	■	
	22	□	
Face plate length	24 x 6 U / 22 x 6 U	□	
	245	■	
	270	■	
Hub	9 mm	■	
Suitable for the use on fire- and smoke control doors	<b>F</b>	■	
Tested and approved acc. to DIN / EN	<b>EN 179</b> 	<b>EN 1125</b> 	
	<b>EN 12 209</b>		
<input checked="" type="checkbox"/> Yes - No <input type="checkbox"/> On request			
 Wooden door  Profile frame door			



### Description

- Panic mortise lock for double-leaf profile frame doors
- Suitable for fire- and smoke control doors
- Tested and approved acc. to **EN 179, EN 1125** and **EN 12 209**
- Dead bolt exclusion: 20 mm- single turn
- Panic function E: DIN left / DIN right usable
- As option: prepared for top-locking
- Necessary accessories for top-locking: Locking rod above and snap lock
- Latch and dead bolt protruding 3 mm or 5 mm on request
- Dead bolt- or Hub monitoring on request

Individual stamping possible on request and at an extra charge.

**GBS 97 ■ Panic mortise lock for fire- and smoke control doors**
**Panic function E**

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm / PZ-92 (handle / knob execution)	Face plate 24 x 270 mm / PZ-92 (handle / knob execution)
			DIN left / DIN right	DIN left / DIN right
Stainless steel	30	square	2097acb02o34030	2097acb02q34030
	35	square	2097adb02o34030	2097adb02q34030
	40	square	2097aeb02o34030	2097aeb02q34030
	45	square	2097afb02o34030	2097afb02q34030

**Panic function D**

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm / PZ-92		Face plate 24 x 270 mm / PZ-92	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	30	square	2097acb02o35130	2097acb02o35230	2097acb02q35130	2097acb02q35230
	35	square	2097adb02o35130	2097adb02o35230	2097adb02q35130	2097adb02q35230
	40	square	2097aeb02o35130	2097aeb02o35230	2097aeb02q35130	2097aeb02q35230
	45	square	2097afb02o35130	2097afb02o35230	2097afb02q35130	2097afb02q35230

**Panic function B**

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm / PZ-92		Face plate 24 x 270 mm / PZ-92	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	30	square	2097acb02o33130	2097acb02o33230	2097acb02q33130	2097acb02q33230
	35	square	2097adb02o33130	2097adb02o33230	2097adb02q33130	2097adb02q33230
	40	square	2097aeb02o33130	2097aeb02o33230	2097aeb02q33130	2097aeb02q33230
	45	square	2097afb02o33130	2097afb02o33230	2097afb02q33130	2097afb02q33230

**Prepared for top-locking**
**Panic function E**

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm / PZ-92 (handle / knob execution)	Face plate 24 x 270 mm / PZ-92 (handle / knob execution)
			DIN left / DIN right	DIN left / DIN right
Stainless steel	30	square	2097zcb02o34030	2097zcb02q34030
	35	square	2097zdb02o34030	2097zdb02q34030
	40	square	2097zeb02o34030	2097zeb02q34030
	45	square	2097zfb02o34030	2097zfb02q34030

**Panic function D**

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm / PZ-92		Face plate 24 x 270 mm / PZ-92	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	30	square	2097zcb02o35130	2097zcb02o35230	2097zcb02q35130	2097zcb02q35230
	35	square	2097zdb02o35130	2097zdb02o35230	2097zdb02q35130	2097zdb02q35230
	40	square	2097zeb02o35130	2097zeb02o35230	2097zeb02q35130	2097zeb02q35230
	45	square	2097zfb02o35130	2097zfb02o35230	2097zfb02q35130	2097zfb02q35230

**Panic function B**

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm / PZ-92		Face plate 24 x 270 mm / PZ-92	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	30	square	2097zcb02o33130	2097zcb02o33230	2097zcb02q33130	2097zcb02q33230
	35	square	2097zdb02o33130	2097zdb02o33230	2097zdb02q33130	2097zdb02q33230
	40	square	2097zeb02o33130	2097zeb02o33230	2097zeb02q33130	2097zeb02q33230
	45	square	2097zfb02o33130	2097zfb02o33230	2097zfb02q33130	2097zfb02q33230

ECO Schulte GmbH & Co. KG  
Iserlohner Landstraße 89  
D - 58706 Menden

Telefon: +49 2373/9276-0  
Fax: +49 2373/9276-40

[info@eco-schulte.de](mailto:info@eco-schulte.de)  
[www.eco-schulte.de](http://www.eco-schulte.de)

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten  
© ECO Schulte GmbH & Co. KG - Subject to change