





ECO GBS 97 AVP

Product information





■ SYSTEM TECHNOLOGY FOR THE DOOR



GBS 97 AVP

Product characteristics

Lock type	PZ-92	■
	RZ-94	□
Backset	30, 35, 40, 45	■
Panic function	B	■
	E	■
Face plate	Stainless steel	■
Face plate width	24	■
	22	□
	24 x 6 U / 22 x 6 U	□
Face plate length	245	■
	270	■
Hub	9 mm	■
Suitable for the use on fire- and smoke control doors	F	■
Tested and approved acc. to DIN / EN	EN 179 	EN 1125 
	EN 12 209	


■ Yes - No □ On request



Wooden door



Profile frame door


Description

- Panic mortise lock for double-leaf profile frame doors
- Related lock for passive leaf GBS 98
- Suitable for fire- and smoke control doors
- Tested and approved acc. to **EN 179, EN 1125** and **EN 12 209**
- Dead bolt exclusion: 20 mm- single turn
- Panic function E: DIN left / DIN right usable
- As option: prepared for top-locking
- Necessary accessories for top-locking: Locking rod above and snap lock
- Latch and dead bolt protruding 3 mm or 5 mm on request
- Dead bolt- or Hub monitoring on request

Individual stamping possible on request and at an extra charge.

**GBS 97 AVP ■ Automatic self-engaging panic mortise lock for fire- and smoke control doors****Panic function E**

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm (handle / knob execution)	Face plate 24 x 270 mm (handle / knob execution)
			DIN left / DIN right	DIN left / DIN right
Stainless steel	30	square	2097acbS2o34030	2097acbS2q34030
	35	square	2097adbS2o34030	2097adbS2q34030
	40	square	2097aebS2o34030	2097aebS2q34030
	45	square	2097afbS2o34030	2097afbS2q34030

Panic function B

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm		Face plate 24 x 270 mm	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	30	square	2097acbS2o33130	2097acbS2o33230	2097acbS2q33130	2097acbS2q33230
	35	square	2097adbS2o33130	2097adbS2o33230	2097adbS2q33130	2097adbS2q33230
	40	square	2097aebS2o33130	2097aebS2o33230	2097aebS2q33130	2097aebS2q33230
	45	square	2097afbS2o33130	2097afbS2o33230	2097afbS2q33130	2097afbS2q33230

Prepared for top-locking**Panic function E**

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm (handle / knob execution)	Face plate 24 x 270 mm (handle / knob execution)
			DIN left / DIN right	DIN left / DIN right
Stainless steel	30	square	2097zcbS2o34030	2097zcbS2q34030
	35	square	2097zdbS2o34030	2097zdbS2q34030
	40	square	2097zebS2o34030	2097zebS2q34030
	45	square	2097zfbS2o34030	2097zfbS2q34030

Panic function B

Face plate finish	Backset in mm	Face plate form	Face plate 24 x 245 mm		Face plate 24 x 270 mm	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	30	square	2097zcbS2o33130	2097zcbS2o33230	2097zcbS2q33130	2097zcbS2q33230
	35	square	2097zdbS2o33130	2097zdbS2o33230	2097zdbS2q33130	2097zdbS2q33230
	40	square	2097zebS2o33130	2097zebS2o33230	2097zebS2q33130	2097zebS2q33230
	45	square	2097zfbS2o33130	2097zfbS2o33230	2097zfbS2q33130	2097zfbS2q33230

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/9276-0
Fax: +49 2373/9276-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change