





ECO GBS 98

Product information






■ SYSTEM TECHNOLOGY FOR THE DOOR



GBS 98

Product characteristics

Backset	30, 35, 40, 45, 50	■
Panic function		■
Face plate	Stainless steel	■
	Steel zinc-plated	■
Face plate width	24 Lap face plate	□
	24	■
	22	□
	24 x 6 U / 22 x 6 U	□
Face plate length	245	■
	270	■
Hub	9 mm	■
Dead bolt contact switch		□
Suitable for the use on fire- and smoke control doors	F	■
Tested and approved acc. to DIN / EN	EN 179	
	EN 1125	
	EN 12 209	


■ Yes - No □ On request



Wooden door



Profile frame door



Dimensioning: GBS 98

Description

- Panic-counter lock / Passive leaf lock
- Related active leaf locks GBS 97 / GBS 97 AVP
- Suitable for double-leaf doors
- Tested and approved acc. to **EN 179, EN 1125** and **EN 12 209**
- Dead bolt- or Hub monitoring on request
- Execution with E-strike on request

Individual stamping possible on request and at an extra charge.

**GBS 98 ■ Counter lock / drive bolt lock for fire- and smoke control doors**

Face plate finish	Backset inmm	Face plate form	Face plate 24 x 245 mm		Face plate 24 x 270 mm	
			DIN left	DIN right	DIN left	DIN right
Stainless steel	30	square	2098ac002o31030	2098ac002o31030	2098ac002q31030	2098ac002q31030
	35	square	2098ad002o31030	2098ad002o31030	2098ad002q31030	2098ad002q31030
	40	square	2098ae002o31030	2098ae002o31030	2098ae002q31030	2098ae002q31030
	45	square	2098af002o31030	2098af002o31030	2098af002q31030	2098af002q31030
	50	square	2098ag002o31030	2098ag002o31030	2098ag002q31030	2098ag002q31030

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/9276-0
Fax: +49 2373/9276-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change